

NURS-FPX4065 Assessment 5 Final Care Coordination Strategy

Student Name

Capella University

NURS-FPX4065: Patient-Centered Care Coordination

Professor Name

Month, Year

Final Care Coordination Strategy

A comprehensive care coordination strategy integrates patient-centered goals, evidence-based interventions, and community resources to deliver seamless, effective care. Building on preliminary planning, a final strategy provides a detailed, evidence-based approach to coordinating care for patients with chronic conditions. This paper presents a final care coordination strategy for patients with type 2 diabetes, providing a comprehensive approach aligned with best practices and health policy.

Patient-Centered Care Coordination Goals

The final strategy centers on patient-centered goals developed in collaboration with patients. These goals include achieving and maintaining target glycemic control, building self-management capacity, preventing complications, and ensuring access to coordinated, continuous care. By developing goals in collaboration with patients, the strategy ensures that care reflects patients' values, preferences, and circumstances.

Aligning goals with patients' values and circumstances enhances engagement and adherence. When patients participate in setting their care goals, they are more likely to be committed to achieving them. This collaborative, patient-centered approach to goal-setting is fundamental to effective care coordination and to supporting patients' engagement in their care.

Patient-centeredness remains the foundation of the strategy, ensuring that care is responsive to each individual's needs, preferences, and goals. By keeping the patient at the center of care coordination, the strategy ensures that all interventions and activities serve the patient's interests. This patient-centered orientation is essential to delivering care that is both effective and respectful of patients' autonomy.

Evidence-Based Interventions

The strategy incorporates evidence-based interventions to achieve these goals. Diabetes self-management education and support equips patients with the knowledge and skills to manage their condition. This education is a cornerstone of diabetes care, empowering patients to take an active role in managing their health (Powers et al., 2020).

Medication management and reconciliation ensure safe, effective pharmacotherapy, reducing the risk of medication-related problems. Regular monitoring and follow-up enable timely adjustments to care, allowing the care team to respond to changes in the patient's condition. Coordinated communication among providers ensures continuity across settings, preventing the gaps and inconsistencies that can compromise care.

These interventions are grounded in clinical guidelines and research, ensuring the strategy reflects current best practices in diabetes care and coordination. By basing the strategy on evidence, the care team can be confident that the interventions are effective and appropriate. This evidence-based foundation is essential to the quality and effectiveness of the care coordination strategy.

Alignment with Health Policy and Best Practices

The strategy aligns with relevant health policies and best practices. It supports the goals of value-based care by emphasizing prevention, coordination, and improved outcomes. Value-based care models reward improved outcomes and efficient care, and the strategy's focus on coordination and prevention aligns with these goals. This alignment supports both the quality and the sustainability of the strategy.

The strategy leverages electronic health records to facilitate information sharing, consistent with policies promoting health information technology. By using electronic health records to share information among providers, the strategy supports the coordination and continuity of care. It also reflects national standards for diabetes care and care coordination, ensuring that the strategy meets established benchmarks for quality.

Aligning the strategy with policy and best practices ensures it is both effective and sustainable within the broader healthcare system. By operating within the policy context and adhering to best practices, the strategy can be implemented and maintained effectively. This alignment is essential to the strategy's success and to its integration into the healthcare system.

Evaluation and Continuous Improvement

Evaluating the strategy's effectiveness is essential. Outcome measures include glycemic control, patient self-management capacity, complication rates, patient satisfaction, and care continuity. By tracking these measures, the care team can assess whether the strategy is achieving its goals and identify areas for improvement. Evaluation provides the information needed to refine and improve the strategy over time.

Regular evaluation allows the care team to identify areas for improvement and refine the strategy accordingly. Care coordination is an ongoing process that benefits from continual assessment and adjustment. By reviewing outcomes regularly and refining the strategy, the team can ensure that it remains effective and responsive to patients' needs. Engaging patients in evaluation ensures the strategy continues to meet their needs.

This commitment to continuous improvement ensures the care coordination strategy remains responsive, effective, and patient-centered over time. By continually evaluating and improving the strategy, the care team can adapt to changing circumstances and emerging evidence. This dynamic, improvement-oriented approach is essential to sustaining effective care coordination and to delivering the best possible outcomes for patients.

Conclusion

This final care coordination strategy for patients with type 2 diabetes integrates patient-centered goals, evidence-based interventions, community resources, and alignment with health policy. By coordinating comprehensive, continuous care and committing to ongoing evaluation, the strategy aims to improve glycemic control, enhance self-management, and prevent complications. The strategy provides a detailed, evidence-based approach to coordinating care for patients with diabetes.

Effective care coordination, grounded in best practices and responsive to patient needs, is essential to improving outcomes for individuals with chronic conditions. By providing coordinated, patient-centered care and continually improving the strategy, the care team can help patients manage their diabetes effectively and improve their quality of life. This comprehensive strategy reflects the principles and practices of effective care coordination and provides a model for coordinating care for patients with chronic conditions. By integrating patient-centered goals, evidence-based interventions, and continuous improvement, the strategy demonstrates how thoughtful care coordination can transform the management of chronic conditions and improve patients' lives.

References

- Powers, M. A., Bardsley, J. K., Cypress, M., Funnell, M. M., Harms, D., Hess-Fischl, A., ... & Uelman, S. (2020). Diabetes self-management education and support in adults with type 2 diabetes. *Diabetes Care*, 43(7), 1636–1649. <https://doi.org/10.2337/dci20-0023>
- Naylor, M. D., Shaid, E. C., Carpenter, D., Gass, B., Levine, C., Li, J., ... & Williams, M. V. (2018). Components of comprehensive and effective transitional care. *Journal of the American Geriatrics Society*, 65(6), 1119–1125. <https://doi.org/10.1111/jgs.14782>
- American Diabetes Association. (2021). Standards of medical care in diabetes—2021. *Diabetes Care*, 44(Suppl. 1), S1–S232. <https://doi.org/10.2337/dc21-Sint>